

Technical specifications

Electric fan type "IN-OUT" for Lucernario aerante



Product description

Electric fan 24V powered which can be installed in correspondence with the air intakes of the Lucernario aerante. This electric devise has two fans for the pulling out or letting in of air.

Materials

AISI 304 stainless steel - plastic

Contents Technical sheet

Page 2 - Technical Specifications

Page 3 - Installation

Technical specifications

Electrical operating data (for each fan)

Voltage	24 V
Power supply type	DC
Energy consumption	6.2 W
Power consumption	260 mA

Data provided by the manufacturer

Wiring

Brown wire	+ IN
Grey wire	+ OUT
Black wire	-
Yellow-green wire	GND
Connector wiring	- + OUT

Performance

Maximum air flow rate 70 m³/h		Maximum air flow rate	70 m³/h
-------------------------------	--	-----------------------	---------

Data provided by the manufacturer

Compatibility

Not compatible with models of Lucernario aerante with "Open-Close" air intakes.

ATTENTION Operate only one fan at a time.

DSASPINOUT - 10022021 Page 2 of 4

Technical specifications

Installation



User 1: From the inside, place the counter plate and mark the holes with a marker.



User 1: Drill the micro-perforated mesh next to the marks.




User 1: Insert the cleaner with the vent facing downwards and keep it pressed.



User 2: From the outside, insert the counter plate.



User 2: Screw the self-locking nuts with your fingers.



User 2: Tighten the nuts with the wrench.



Proceed with wiring.

DSASPINOUT - 10022021 Page 3 di 4

Thank you for purchasing our Lucernario aerante accessories.

The product and the *Lucernario aerante** brand are property of Bottega del ferro.

Bottega del ferro reserves all rights to modify the characteristics of the products shown without prior notice. This document and all the others relating to the products *Lucernario aerante* and *Lucernario aerante INOX* are available on the websites www.lucernarioaerante.it and inox.lucernarioaerante.it.



Bottega del ferro Via del Boscone, 8 25014 Castenedolo (BS) Italia T. +39 030 2731985 F. +39 030 2130930 info@bottegadelferro.net www.bottegadelferro.net www.lucernarioaerante.it

DSASPINOUT - 10022021 ©Bottega del ferro